

AL.1.1036

c.2

Alberta

Traffic Collision Statistics

2003



Digitized by the Internet Archive
in 2016

- # Traffic Collision Statistics

2003

Alberta Transportation
Driver Safety, Research and Traffic Safety Initiative
Main Floor, Twin Atria Building
4999 – 98 Avenue
Edmonton, Alberta
T6B 2X3
(780) 427-8901
www.trans.gov.ab.ca

Alberta

Traffic Collision Statistics

2003

For further information contact:
Alberta Transportation
Data Collection and Analysis Unit
Room 1000, 1000 - 9th Avenue
Edmonton, Alberta
T6C 0T2
(780) 427-2001
www.alberta.ca

2003 Overview

- The number of **traffic fatalities increased 3.5%** over the past year from 372 fatalities in 2002 to 385 in 2003.
- The number of **traffic injuries decreased 8.8%** over the past year from 28989 injuries in 2002 to 26426 in 2003.
- The number of **traffic collisions decreased 2.5%** over the past year from 116308 collisions in 2002 to 113357 in 2003.
- **The highest number of casualty collisions occurred in January.**
- **Friday** was the most collision-prone day of the week.
- **The most collision-prone period of time was the afternoon rush-hour.**
- **Casualty rates** were highest for persons between the **ages of 15 and 24.**
- **Male drivers** between the **ages of 16 and 19** had the highest involvement rate of all drivers involved in casualty collisions.
- Following too closely, running off the road and left turn across path were the most frequently identified improper driver actions contributing to casualty collisions.
- **Fatal collisions** occurred most frequently in **rural areas**, whereas **injury and property damage collisions** occurred more frequently in **urban areas.**
- **44.8% of pedestrians** involved in **fatal collisions had consumed alcohol prior to the collision** compared to **14.8% of pedestrians in injury collisions.**
- **22.3%** of drivers involved in fatal collisions **had consumed alcohol** prior to the crash compared to **4.6%** of drivers in injury collisions.
- Collision involved restraint users had a much lower injury rate (12.7%) than those not using restraints (39.5%)

Preface

The purpose of this report is to provide an overview of the “who”, “what”, “when”, “where”, “why”, and “how” of traffic collisions which occurred in Alberta during 2003. Although the report is general in nature, it pays particular attention to casualty collisions, that is, those collisions which result in death or injury. Legislation in Alberta requires that a traffic collision which results in either death, injury or property damage to an apparent extent of \$1000.00 or more, be reported immediately to an authorized peace officer. The officer completes a standardized collision report form which provides information on various aspects of the traffic collision. This report is based on the data collected from these report forms.

The collision report form is issued with standard instructions to every police service within Alberta, to be completed by the officer attending the scene of a motor vehicle collision or at a police station. Police priorities at the scene of a collision are to care for the injured, protect the motoring public and clear the roadway. Completion of the collision report form is a secondary, but necessary task.

After completion, the information on the collision report form is coded for input to computer files. The Alberta Collision Information System, which has been operational since 1978, undergoes several manual and computerized inspections each year in order to ensure maximum accuracy of the final data output. This collision information is used to make Alberta’s roads safer for all road users. Due to continuing police investigation, some numbers presented in this report may be subject to revision. It should also be noted that not all percentage columns will total 100 due to rounding error.

This report was produced based on collisions reported to Alberta Transportation by police, at the time of printing. The numbers presented in this report will not be updated. However, the patterns and trends detailed in this report represent an accurate description of Alberta’s traffic collision picture.

The purpose of this report is to provide an overview of the traffic collision statistics for the province of Alberta for the year 2003. The report is intended to provide information to the public and to the media, and to serve as a basis for further research and analysis. The report is organized into several sections, including an introduction, a description of the data sources, a presentation of the data, and a conclusion. The data is presented in a clear and concise manner, and is accompanied by a series of charts and graphs. The report is intended to be a useful resource for anyone interested in traffic collision statistics in Alberta.

The data in this report is derived from the Alberta Traffic Collision Database, which is a comprehensive database of all traffic collisions that occur in the province of Alberta. The database is maintained by the Alberta Transportation and Infrastructure Services, and is updated on a regular basis. The data is presented in a clear and concise manner, and is accompanied by a series of charts and graphs. The report is intended to be a useful resource for anyone interested in traffic collision statistics in Alberta.

The report is organized into several sections, including an introduction, a description of the data sources, a presentation of the data, and a conclusion. The data is presented in a clear and concise manner, and is accompanied by a series of charts and graphs. The report is intended to be a useful resource for anyone interested in traffic collision statistics in Alberta.

The data in this report is derived from the Alberta Traffic Collision Database, which is a comprehensive database of all traffic collisions that occur in the province of Alberta. The database is maintained by the Alberta Transportation and Infrastructure Services, and is updated on a regular basis. The data is presented in a clear and concise manner, and is accompanied by a series of charts and graphs. The report is intended to be a useful resource for anyone interested in traffic collision statistics in Alberta.

Table of Contents

	Page
2003 Overview	i
Preface	iii
List of Tables	vii
List of Figures	ix
Glossary	xi
2003 Traffic Collision Summary	1
When the Collisions Occurred	7
Victims	13
Drivers	17
Vehicles	21
Environment	25
Special Types of Vehicles	
Motorcycles	29
Truck Tractors	39
Trains	45
Pedestrians	49
Bicyclists	59
Traffic Safety Issues	
Alcohol Involvement	67
Restraint Use	77

Table of Contents

Table

1	Executive Summary
2	Introduction
3	1.1 Purpose of the Report
4	1.2 Scope of the Report
5	1.3 Methodology
6	1.4 Data Sources
7	1.5 Limitations
8	2.0 Traffic Collision Statistics
9	2.1 Overview of Traffic Collisions
10	2.2 Collision Types
11	2.3 Collision Locations
12	2.4 Collision Severity
13	2.5 Collision Trends
14	2.6 Collision Prevention
15	2.7 Collision Investigation
16	2.8 Collision Reporting
17	2.9 Collision Analysis
18	2.10 Collision Prevention Measures
19	2.11 Collision Investigation Procedures
20	2.12 Collision Reporting Requirements
21	2.13 Collision Analysis Techniques
22	2.14 Collision Prevention Strategies
23	2.15 Collision Investigation Findings
24	2.16 Collision Reporting Improvements
25	2.17 Collision Analysis Results
26	2.18 Collision Prevention Outcomes
27	2.19 Collision Investigation Conclusions
28	2.20 Collision Reporting Recommendations
29	2.21 Collision Analysis Recommendations
30	2.22 Collision Prevention Recommendations
31	2.23 Collision Investigation Recommendations
32	2.24 Collision Reporting Recommendations
33	2.25 Collision Analysis Recommendations
34	2.26 Collision Prevention Recommendations
35	2.27 Collision Investigation Recommendations
36	2.28 Collision Reporting Recommendations
37	2.29 Collision Analysis Recommendations
38	2.30 Collision Prevention Recommendations
39	2.31 Collision Investigation Recommendations
40	2.32 Collision Reporting Recommendations
41	2.33 Collision Analysis Recommendations
42	2.34 Collision Prevention Recommendations
43	2.35 Collision Investigation Recommendations
44	2.36 Collision Reporting Recommendations
45	2.37 Collision Analysis Recommendations
46	2.38 Collision Prevention Recommendations
47	2.39 Collision Investigation Recommendations
48	2.40 Collision Reporting Recommendations
49	2.41 Collision Analysis Recommendations
50	2.42 Collision Prevention Recommendations
51	2.43 Collision Investigation Recommendations
52	2.44 Collision Reporting Recommendations
53	2.45 Collision Analysis Recommendations
54	2.46 Collision Prevention Recommendations
55	2.47 Collision Investigation Recommendations
56	2.48 Collision Reporting Recommendations
57	2.49 Collision Analysis Recommendations
58	2.50 Collision Prevention Recommendations
59	2.51 Collision Investigation Recommendations
60	2.52 Collision Reporting Recommendations
61	2.53 Collision Analysis Recommendations
62	2.54 Collision Prevention Recommendations
63	2.55 Collision Investigation Recommendations
64	2.56 Collision Reporting Recommendations
65	2.57 Collision Analysis Recommendations
66	2.58 Collision Prevention Recommendations
67	2.59 Collision Investigation Recommendations
68	2.60 Collision Reporting Recommendations
69	2.61 Collision Analysis Recommendations
70	2.62 Collision Prevention Recommendations
71	2.63 Collision Investigation Recommendations
72	2.64 Collision Reporting Recommendations
73	2.65 Collision Analysis Recommendations
74	2.66 Collision Prevention Recommendations
75	2.67 Collision Investigation Recommendations
76	2.68 Collision Reporting Recommendations
77	2.69 Collision Analysis Recommendations
78	2.70 Collision Prevention Recommendations
79	2.71 Collision Investigation Recommendations
80	2.72 Collision Reporting Recommendations
81	2.73 Collision Analysis Recommendations
82	2.74 Collision Prevention Recommendations
83	2.75 Collision Investigation Recommendations
84	2.76 Collision Reporting Recommendations
85	2.77 Collision Analysis Recommendations
86	2.78 Collision Prevention Recommendations
87	2.79 Collision Investigation Recommendations
88	2.80 Collision Reporting Recommendations
89	2.81 Collision Analysis Recommendations
90	2.82 Collision Prevention Recommendations
91	2.83 Collision Investigation Recommendations
92	2.84 Collision Reporting Recommendations
93	2.85 Collision Analysis Recommendations
94	2.86 Collision Prevention Recommendations
95	2.87 Collision Investigation Recommendations
96	2.88 Collision Reporting Recommendations
97	2.89 Collision Analysis Recommendations
98	2.90 Collision Prevention Recommendations
99	2.91 Collision Investigation Recommendations
100	2.92 Collision Reporting Recommendations
101	2.93 Collision Analysis Recommendations
102	2.94 Collision Prevention Recommendations
103	2.95 Collision Investigation Recommendations
104	2.96 Collision Reporting Recommendations
105	2.97 Collision Analysis Recommendations
106	2.98 Collision Prevention Recommendations
107	2.99 Collision Investigation Recommendations
108	2.100 Collision Reporting Recommendations

List of Tables

	Page
Table 1.1	Alberta Traffic Collisions 1999-2003 2
Table 1.2	Traffic Collision Rates 1999 – 2003 3
Table 1.3	Provincial Comparison of Casualty Rates Per Billion Vehicle Kilometres Travelled 2000-2002 5
Table 2.1	Collision Occurrence by Month 2003 8
Table 2.2	Collision Occurrence by Day of Week 2003..... 9
Table 2.3	Collision Occurrence by Time Period 2003..... 10
Table 2.4	Collisions During 2003 Holidays..... 12
Table 3.1	Injuries and Fatalities by Road User Class 2003 14
Table 3.2	Age of Casualties 2003 15
Table 4.1	Age and Sex of Drivers Involved in Casualty Collisions: Per 1,000 Licensed Drivers 2003 18
Table 4.2	Improper Actions of Drivers Involved in Casualty Collisions 2003..... 20
Table 5.1	Types of Vehicles Involved in Casualty Collisions 2003 22
Table 5.2	Vehicular Factors Involved in Casualty Collisions 2003..... 23
Table 5.3	Point of Impact on Vehicles Involved in Casualty Collisions 2003..... 24
Table 6.1	Location of Collisions 2003..... 26
Table 6.2	Casualty Collision Occurrence by Surface Condition 2003..... 27
Table 7.1	Motorcycles Involved in Casualty Collisions 1999 – 2003 30
Table 7.2	Age and Sex of Motorcycle Drivers Involved in Casualty Collisions 2003 32
Table 7.3	Improper Actions of Motorcycle Drivers Involved in Casualty Collisions 2003 33
Table 7.4	Condition of Motorcycle Drivers Involved in Casualty Collisions 2003..... 34
Table 7.5	Motorcycle Vehicular Factors in Casualty Collisions 2003..... 35
Table 7.6	Casualty Collisions Involving Motorcycles: Month of Occurrence 2003..... 36
Table 7.7	Casualty Collisions Involving Motorcycles: Road Surface Condition 2003 37

Table 7.8	Truck Tractors Involved in Casualty Collisions 1999 – 2003	40
Table 7.9	Improper Actions of Truck Tractor Drivers Involved in Casualty Collisions 2003	41
Table 7.10	Condition of Truck Tractor Drivers Involved in Casualty Collisions 2003	42
Table 7.11	Vehicular Factors of Truck Tractors Involved in Casualty Collisions 2003	43
Table 7.12	Casualty Collisions Involving Truck Tractors: Month of Occurrence 2003.....	44
Table 7.13	Trains Involved in Casualty Collisions 1999-2003.....	46
Table 7.14	Casualty Collisions Involving Trains: Month of Occurrence 2003.....	47
Table 7.15	Actions of Drivers Involved in Casualty Collisions with Trains 2003.....	48
Table 8.1	Casualty Collisions Involving Pedestrians: Month of Occurrence 2003.....	50
Table 8.2	Casualty Collisions Involving Pedestrians: Day of Week 2003.....	51
Table 8.3	Casualty Collisions Involving Pedestrians: Time Period 2003.....	52
Table 8.4	Casualty Collisions Involving Pedestrians: Location 2003.....	53
Table 8.5	Actions of Drivers Involved in Casualty Collisions with Pedestrians 2003.....	54
Table 8.6	Age of Pedestrian Casualties 2003.....	55
Table 8.7	Condition of Pedestrians Involved in Casualty Collisions 2003.....	57
Table 8.8	Age of Drinking Pedestrians Involved in Casualty Collisions 2003.....	58
Table 9.1	Casualty Collisions Involving Bicycles: Month of Occurrence 2003.....	60
Table 9.2	Casualty Collisions Involving Bicycles: Day of Week 2003.....	61
Table 9.3	Casualty Collisions Involving Bicycles: Time Period 2003.....	62
Table 9.4	Age and Sex of Bicyclists Involved in Casualty Collisions 2003.....	63
Table 9.5	Improper Actions of Bicyclists Involved in Casualty Collisions 2003.....	64
Table 9.6	Condition of Bicyclists Involved in Casualty Collisions 2003.....	65
Table 10.1	Condition of Drivers in Casualty Collisions 2003.....	68
Table 10.2	Age and Sex of Drinking Drivers in Casualty Collisions 2003.....	71
Table 10.3	Alcohol-Involved Casualty Collisions: Month of Occurrence 2003.....	73
Table 10.4	Alcohol-Involved Casualty Collisions: Day of Week 2003.....	74
Table 10.5	Alcohol-Involved Casualty Collisions: Time Period 2003.....	75
Table 10.6	Restraint Use of Vehicle Occupants and Injury Severity 2003 (Use vs. Non-Use)....	78

List of Figures

	Page
Figure 1	Alberta Traffic Collision Rates Per 10,000 Population 1999 – 2003 4
Figure 2	Provincial Traffic Fatality Rates 2002 6
Figure 3	Collision Occurrence by Month/Day of Week/Time Period 2003 11
Figure 4	Age of Casualties 2003 16
Figure 5	Age and Sex of Drivers Involved in Casualty Collisions 2003..... 19
Figure 6	Number of Motorcycles Involved in Fatal Collisions 1999 – 2003..... 31
Figure 7	Pedestrian Casualties 2003..... 56
Figure 8	Involvement of Drinking Drivers in Casualty Collisions 1999 – 2003 69
Figure 9	Driver Condition in Casualty Collisions 2003 70
Figure 10	Drinking Drivers Involved in Casualty Collisions 2003 72
Figure 11	Alcohol-Involved Casualty Collisions by Month/Day of Week/Time Period 2003 76

Glossary

Alcohol Impaired – In the judgement of the police officer, driving ability was impaired by alcohol consumption. Whether or not the subject was actually charged is not taken into consideration by the collision report form.

Casualty Collision – A vehicle collision which results in either a fatal or personal injury.

Drinking Driver – Refers to those drivers judged by the police officer as having been drinking prior to the collision or as being alcohol impaired at the time of the collision. Whether or not the driver was actually charged is not taken into consideration by the collision report form.

Fatality – A fatality is the death of a person that occurs as a result of a motor vehicle collision within 30 days of the collision.

Had Been Drinking – In the judgement of the police officer, the driver had recently consumed alcohol but his driving ability was not obviously impaired.

Major Injury – Persons with injuries or complaint of pain that went to the hospital and were subsequently admitted even if for observation only.

Minor Injury – Persons with injuries or complaint of pain that went to the hospital, were treated in emergency (or refused treatment) and SENT HOME without ever being admitted to the hospital. (Also includes people who indicated that they intended to seek medical treatment).

Motorcyclist – Refers to drivers and passengers of motorcycles.

Occupant Casualties – Refers to people who were injured or killed as a result of a vehicle collision and were identified as being either a vehicle driver or passenger.

Property Damage – A vehicle collision which resulted in property damage exceeding \$1000.00.

Reportable Collision – A vehicle collision which resulted in death, injury or property damage greater than \$1000.00.

Rural – Any area outside of what is defined as “Urban”.

Urban – Any area within the corporate boundaries of a city, town, village or hamlet.

2003 Traffic Collision Summary

Introduction

During 2003, 113357 collisions were recorded on Alberta roadways. Property damage collisions (over \$1000) represented 83.4% (94589) of this total while 16.3% (18447) were non-fatal injury collisions. Fatal collisions accounted for 0.3% (321) of the total reported collisions.

Five Year Trends

In terms of population, licensed drivers and registered vehicles the fatal collision and fatality rates are unchanged from 2002.

The non-fatal injury rate, has decreased in 2003 in terms of population, licensed drivers and registered vehicles.

Property damage collision rates also decreased in 2003 in terms of population, licensed drivers and registered vehicles.

Provincial Comparisons

In order to get a picture of Alberta's traffic casualties in comparison to other provinces, rates rather than absolute numbers are utilized. In this instance casualty rates per billion vehicle kilometres travelled were examined.

Figures for 2003 provincial comparisons were not available at the time of printing; therefore, figures for 2002 were used. Based on this comparison of rates per billion vehicle kilometres travelled, of the 12 provinces and territories for which information was available, six had a higher fatality rate than Alberta in 2002. With regard to injury rate, in 2002, two jurisdictions had a higher injury rate than Alberta.

Table 1.1**Alberta Traffic Collisions****1999 – 2003**

Severity of Collisions	2003	2002	2001	2000	1999
Fatal Collisions	321	322	341	312	305
Non-Fatal Injury Collisions	18447	20152	19000	18246	17398
Property Damage Collisions	94589	95834	88050	85905	77543
Total Reportable Collisions	113357	116308	107391	104463	95246
Number Killed	385	372	404	364	347
Number Injured	26426	28989	27583	26464	25451
Total Number of Casualties	26811	29361	27987	26828	25798

Observations

In 2003, the overall number of collisions decreased 2.5% when compared to 2002. In 2003, injury collisions decreased 8.5% and fatal crashes decreased by 0.3%. The number of fatalities increased by 3.5% from 2002 to 2003, and the number of injuries decreased by 8.8%. In terms of the past five years, overall collisions were lowest in 1999 and highest in 2002.

Table 1.2**Traffic Collision Rates****1999 – 2003**

Severity of Collision	Rate Per 10,000 Population*					Rate Per 10,000 Licensed Drivers*					Rate Per 10,000 Registered Vehicles*				
	2003	2002	2001**	2000	1999	2003	2002	2001	2000	1999	2003	2002	2001	2000	1999
Fatal Collisions	1.0	1.0	1.1	1.0	1.0	1.4	1.4	1.5	1.4	1.4	1.3	1.3	1.5	1.4	1.4
Number Killed	1.2	1.2	1.3	1.2	1.2	1.6	1.6	1.8	1.6	1.6	1.6	1.6	1.7	1.6	1.6
Non-Fatal Injury Collisions	58.5	64.7	62.0	60.9	58.7	78.0	86.3	83.2	82.0	80.0	76.4	84.4	81.5	81.0	79.6
Number Injured	83.8	93.1	90.0	88.3	85.8	111.8	124.2	120.7	118.9	117.0	109.5	121.5	118.3	117.5	116.4
Property Damage Collisions	299.9	307.8	287.4	286.6	261.6	400.2	410.5	385.4	386.1	356.5	391.8	401.6	377.6	381.3	354.6
Total Reportable Collisions	359.4	373.5	350.5	348.5	321.3	479.6	498.1	470.0	469.5	437.9	469.5	487.4	460.5	463.7	435.6

Observations

In terms of population, licensed drivers and registered vehicles the fatal collision and fatality rates are unchanged from 2002.

The non-fatal injury rate, has decreased in 2003 in terms of population, licensed drivers and registered vehicles.

Property damage collision rates also decreased in 2003 in terms of population, licensed drivers and registered vehicles.

***Sources:**

Population – Statistics Canada as of July 1, 2003

Licensed Drivers – Government Services – Registries, as of December 31, 2003

Registered Vehicles – Government Services – Registries, as of December 31, 2003

**Updated 2003, Source: Statistics Canada as of July 1, 2001


Figure 1

Table 1.3**Provincial Comparison of Casualty Rates
Per Billion Vehicle Kilometres Travelled*****2000-2002**

	2002		2001		2000	
	Fatalities	Injuries	Fatalities	Injuries	Fatalities	Injuries
Canada	9.3	721.2	9.0	713.0	9.4	732.3
Alberta	10.1	783.6	10.0	682.4	8.6	628.5
British Columbia	12.4	776.6	11.7	838.5	12.0	849.6
Saskatchewan	12.3	652.7	13.0	547.5	12.7	656.8
Manitoba	10.8	948.9	8.3	799.3	10.5	894.8
Ontario	7.1	679.4	7.3	705.4	7.2	721.4
Quebec	9.9	749.1	8.8	707.5	11.2	755.3
New Brunswick	12.2	592.3	11.7	686.5	10.5	647.0
Nova Scotia	8.5	574.0	8.2	647.6	9.4	756.4
Prince Edward Island	14.3	789.8	12.2	896.0	15.8	939.1
Newfoundland	10.0	701.2	9.3	690.2	10.6	613.7
Yukon	25.3	572.6	10.9	836.7	21.7	745.9
Northwest Territories	8.4	643.2	7.5	512.8	16.6	738.5
Nunavut	N/A	N/A	47.6	N/A	70.4	N/A

Observations

In order to get a picture of Alberta's traffic casualties in comparison to other provinces, rates rather than absolute numbers are utilized. In this instance casualty rates per billion vehicle kilometres travelled were examined.

Based on this comparison of rates per billion vehicle kilometres travelled, of the 12 provinces and territories for which information was available, six had a higher fatality rate than Alberta in 2002. With regard to injury rate, in 2002, two jurisdictions had a higher injury rate than Alberta.

*Figures for 2003 were not available at time of printing.


Sources: Transport Canada Canadian Motor Vehicle Traffic Collision Statistics TP3322 and Statistics Canada, "Canadian Vehicle Survey", catalogue No. 53-223-XIE.

The Canadian Vehicle Survey (CVS) is a voluntary vehicle-based survey that provides annual estimates of road vehicle activity (Vehicle-kilometres and passenger-kilometres) of vehicles registered in Canada.

The in-scope vehicles for the CVS include all motor vehicles except motorcycles, off-road vehicles (e.g., snowmobiles, dune buggies, amphibious vehicles) and special equipment (e.g. cranes, street cleaners, snowplows and backhoes) registered in Canada anytime during the survey reference period that have not been scrapped or salvaged.

Figure 2

Provincial Traffic Fatality Rates 2002



When the Collisions Occurred

Month

The month of January experienced more casualty collisions than other months. The highest number of property damage collisions was recorded during the month of November.

Day of Week

The daily distribution of collisions indicated that Friday was the most collision-prone day of the week.

Time

The afternoon rush hour period (3:00 p.m. – 6:59 p.m.) accounted for the highest proportion of collisions. The least collision-prone time period was the early morning (3:00 a.m. – 6:59 a.m.).

Holidays

The Victoria Day Long Weekend and the August Long Weekend recorded the highest number of individuals killed. The Labour Day Long Weekend recorded the highest number of injuries. The Family Day Long Weekend recorded the highest total number of collisions.

Table 2.1**Collision Occurrence by Month****2003**

Month	Fatal Collisions		Non-Fatal Injury Collisions		Property Damage Collisions		Total Collisions	
	N	%	N	%	N	%	N	%
January	21	6.5	1879	10.2	10239	10.8	12139	10.7
February	19	5.9	1537	8.3	8439	8.9	9995	8.8
March	14	4.4	1658	9.0	9008	9.5	10680	9.4
April	18	5.6	1262	6.8	6500	6.9	7780	6.9
May	30	9.3	1513	8.2	6303	6.7	7846	6.9
June	26	8.1	1534	8.3	6970	7.4	8530	7.5
July	45	14.0	1581	8.6	7000	7.4	8626	7.6
August	34	10.6	1543	8.4	6163	6.5	7740	6.8
September	29	9.0	1497	8.1	6420	6.8	7946	7.0
October	30	9.3	1529	8.3	7933	8.4	9492	8.4
November	23	7.2	1575	8.5	10642	11.3	12240	10.8
December	32	10.0	1337	7.2	8725	9.2	10094	8.9
Unspecified	--	--	2	0.0	247	0.3	249	0.2
Total Number of Collisions	321	100.0	18447	100.0	94589	100.0	113357	100.0

Observations

The month of July experienced more fatal crashes than other months. The highest number of reported injury collisions was in January and the highest number of property damage collisions was in the month of November.

Table 2.2**Collision Occurrence by Day of Week****2003**

Day of Week	Fatal Collisions		Non-Fatal Injury Collisions		Property Damage Collisions		Total Collisions	
	N	%	N	%	N	%	N	%
Monday	36	11.2	2711	14.7	13107	13.9	15854	14.0
Tuesday	37	11.5	2730	14.8	13387	14.2	16154	14.3
Wednesday	47	14.6	2775	15.0	14643	15.5	17465	15.4
Thursday	54	16.8	2772	15.0	14219	15.0	17045	15.0
Friday	50	15.6	3005	16.3	16129	17.1	19184	16.9
Saturday	53	16.5	2446	13.3	12964	13.7	15463	13.6
Sunday	44	13.7	2004	10.9	9836	10.4	11884	10.5
Unspecified	--	--	4	0.0	304	0.3	308	0.3
Total Number of Collisions	321	100.0	18447	100.0	94589	100.0	113357	100.0

Observations

The daily distribution of collisions indicated that overall Friday was the most collision-prone day of the week.

Table 2.3**Collision Occurrence by Time Period****2003**

Time Period	Fatal Collisions		Non-Fatal Injury Collisions		Property Damage Collisions		Total Collisions	
	N	%	N	%	N	%	N	%
11:00 p.m. - 2:59 a.m.	50	15.6	1261	6.8	7123	7.5	8434	7.4
3:00 a.m. - 6:59 a.m.	29	9.0	760	4.1	4817	5.1	5606	4.9
7:00 a.m. - 10:59 a.m.	51	15.9	3168	17.2	16563	17.5	19782	17.5
11:00 a.m. - 2:59 p.m.	51	15.9	4421	24.0	21942	23.2	26414	23.3
3:00 p.m. - 6:59 p.m.	63	19.6	5973	32.4	26939	28.5	32975	29.1
7:00 p.m. - 10:59 p.m.	64	19.9	2735	14.8	15150	16.0	17949	15.8
Unspecified	13	4.0	129	0.7	2055	2.2	2197	1.9
Total Number of Collisions	321	100.0	18447	100.0	94589	100.0	113357	100.0

Observations

The afternoon rush hour period (3:00 p.m. – 6:59 p.m.) accounted for the largest percentage (29.1%) of collisions occurring in a 24 hour period. The least collision-prone time period was the early morning (3:00 a.m. – 6:59 a.m.).


Figure 3

Table 2.4**Collisions During 2003 Holidays**

Holidays	Number Killed N	Number Injured N	Total Collisions* N
New Year's Day (January 1)	4	51	214
Family Day Long Weekend (February 14-17)	2	230	1264
Easter Long Weekend (April 17-21)	6	248	1001
Victoria Day Long Weekend (May 16-19)	8	255	834
Canada Day (July 1)	--	75	262
August Long Weekend (August 1-4)	8	283	871
Labour Day Long Weekend (Aug 29-September 1)	2	301	973
Thanksgiving Long Weekend (October 10-13)	4	235	911
Remembrance Day (November 11)	--	60	326
Christmas Season (December 24-28)	5	172	1017
TOTAL	39	1910	7673

Observations

The Victoria Day Long Weekend and the August Long Weekend recorded the highest number of individuals killed. The Labour Day Long Weekend recorded the highest number of injuries. The Family Day Long Weekend recorded the highest total number of collisions.

*Total collisions includes fatal, injury and property damage collisions.

*Note: Comparisons should be done with caution. The number of days for each holiday period within the year may vary. From year to year, holiday periods may also vary in length.

Victims

Road User Class

The majority of traffic victims were drivers and passengers of vehicles. Pedestrians and motorcyclists accounted for 4.5% and 2.4% of the total casualties, respectively.

Age of Casualties

Casualty rates per 10,000 population were highest for persons between the ages of 15 and 24. The lowest casualty rates were recorded for children 14 and under.

Table 3.1**Injuries and Fatalities by Road User Class****2003**

Road User Class	Persons Killed		Persons Injured		Total Casualties	
	N	%	N	%	N	%
Drivers	216	56.1	15858	60.0	16074	60.0
Passengers	99	25.7	7624	28.9	7723	28.8
Pedestrians	37	9.6	1172	4.4	1209	4.5
Motorcyclists	13	3.4	627	2.4	640	2.4
Bicyclists	3	0.8	589	2.2	592	2.2
Other	15	3.9	409	1.5	424	1.6
Unspecified	2	0.5	147	0.6	149	0.6
Total Casualties	385	100.0	26426	100.0	26811	100.0

Observations

The majority of traffic victims were drivers and passengers of vehicles. Pedestrians and motorcyclists accounted for 4.5% and 2.4% of the total casualties, respectively.

Table 3.2**Age of Casualties****2003**

Age in Years	Persons Killed		Persons Injured		Casualty Rate Per 10,000 Population*
	N	%	N	%	
Under 5	5	1.3	334	1.3	17.6
5-9	5	1.3	565	2.1	27.7
10-14	3	0.8	860	3.3	38.4
15-19	57	14.8	3636	13.8	159.2
20-24	57	14.8	3776	14.3	157.3
25-29	36	9.4	2767	10.5	118.1
30-34	30	7.8	2400	9.1	102.9
35-44	70	18.2	4599	17.4	89.5
45-54	46	11.9	3428	13.0	75.8
55-64	32	8.3	1801	6.8	66.4
65 and over	44	11.4	1521	5.8	48.1
Unspecified	--	--	739	2.8	
Total Casualties	385	100.0	26426	100.0	


Observations

Casualty rates per 10,000 population were highest for persons between the ages of 15 and 24. The lowest casualty rates were recorded for children 14 years of age and younger.

*Based on estimates of the Alberta population by age groups and sex, July 1, 2003, Statistics Canada

Figure 4

Age of Casualties
Alberta 2003



Drivers

Age and Sex of Drivers

Collision rates per 1000 licensed drivers indicated that males 18 to 19 years old were more likely to be involved in a casualty collision than any other age group. The next age group most likely to be involved in casualty collisions were males 16 to 17 years old.

Driver Actions

Following too closely (32.3%), running off the road (15.4%) and left turn across path (11.0%) were the most frequently identified improper driver actions contributing to casualty collisions.

Table 4.1**Age and Sex of Drivers Involved in Casualty Collisions:****Per 1,000 Licensed Drivers****2003**

Age of Driver	N	Male		N	Female		N	Total*	
		Per 1000** Licensed % Drivers			Per 1000** Licensed % Drivers			Per 1000** Licensed % Drivers	
Under 16	236	0.7	16.0	85	0.2	7.2	322	0.9	12.1
16-17	876	2.6	27.0	648	1.9	22.5	1524	4.5	24.9
18-19	1361	4.0	32.6	852	2.5	22.6	2213	6.5	27.9
20-24	2929	8.6	24.5	1874	5.5	17.4	4804	14.1	21.2
25-34	4472	13.1	17.9	2748	8.1	12.1	7221	21.2	15.1
35-44	4144	12.2	15.5	2935	8.6	11.7	7080	20.8	13.7
45-54	3344	9.8	13.7	2088	6.1	9.5	5433	15.9	11.7
55-64	1760	5.2	12.1	949	2.8	7.4	2709	8.0	9.9
65 and over	1407	4.1	10.8	648	1.9	6.2	2056	6.0	8.8
Unspecified	210	0.6		59	0.2		711	2.1	
Total Number of Drivers	20739	60.9	16.7	12886	37.8	11.5	34073	100.0	

Observations

Collision rates per 1000 licensed drivers indicated that males 18 to 19 years old were more likely to be involved in a casualty collision than any other age group. The next age group most likely to be involved in casualty collisions were males 16 to 17 years old.

*Total includes drivers whose sex was not specified on the collision report form. Includes bicyclists.

**Source: Government Services – Registries. Operator Statistics, December 31, 2003


Figure 5

Table 4.2**Improper Actions of Drivers Involved in Casualty Collisions*****2003**

Improper Actions	Drivers in Fatal Collisions		Drivers in Non-Fatal Injury Collisions		Total Drivers in Casualty Collisions	
	N	%	N	%	N	%
Followed Too Closely	5	2.1	4388	32.9	4393	32.3
Ran Off Road	100	41.2	1998	15.0	2098	15.4
Left Turn Across Path	8	3.3	1493	11.2	1501	11.0
Stop Sign Violation	31	12.8	1071	8.0	1102	8.1
Disobey Traffic Signal	8	3.3	961	7.2	969	7.1
Left of Centre	48	19.8	353	2.6	401	3.0
Failed to Yield Right of Way to Pedestrian	7	2.9	385	2.9	392	2.9
Improper Lane Change	1	0.4	368	2.8	369	2.7
Backed Unsafely	--	--	331	2.5	331	2.4
Improper Turn	2	0.8	315	2.4	317	2.3
Failed to Yield Right of Way - Uncontrolled Intersection	2	0.8	270	2.0	272	2.0
Yield Sign Violation	1	0.4	264	2.0	265	2.0
Improper Passing	5	2.1	127	1.0	132	1.0
Other	25	10.3	1022	7.7	1047	7.7
Total Number of Drivers	243	100.0	13346	100.0	13589	100.0

Observations

Following too closely (32.3%), running off the road (15.4%) and left turn across path (11.0%) were the most frequently identified improper driver actions contributing to casualty collisions.

*Based on those cases where driver actions were specified on the collision report form. Includes bicyclists.

Note: There was a total of 28191 drivers involved in casualty collisions for which a driver action was specified on the collision report form. 14602 were indicated as driving properly at the time of the collision.

Vehicles

Types of Vehicles

Passenger cars (52.6%) and pick-up trucks/vans (20.5%) were the vehicles most frequently involved in total casualty collisions.

Vehicular Factors

Less than 1.0% of vehicles involved in casualty collisions were identified as having a vehicle defect. The most common defect was defective brakes.

Point of Impact

The most common point of impact in casualty collisions involved the front of the vehicle. Approximately 40.7% of the impacts involved the centre front.

Table 5.1**Types of Vehicles Involved in Casualty Collisions*****2003**

Type of Vehicle	Vehicles in Fatal Collisions		Vehicles in Non-Fatal Injury Collisions		Total Vehicles in Casualty Collisions	
	N	%	N	%	N	%
Passenger Car	173	33.6	18070	52.9	18243	52.6
Pick-up Truck/Van	151	29.3	6967	20.4	7118	20.5
Mini-Van/MPV	73	14.2	5894	17.3	5967	17.2
Truck 4500 kg+	29	5.6	923	2.7	952	2.7
Motorcycle	13	2.5	616	1.8	629	1.8
Tractor-Trailer	58	11.3	566	1.7	624	1.8
Bicycle	2	0.4	591	1.7	593	1.7
Off-Highway Vehicle	7	1.4	148	0.4	155	0.4
Transit Bus	2	0.4	128	0.4	130	0.4
School Bus	2	0.4	73	0.2	75	0.2
Emergency Vehicle	--	--	56	0.2	56	0.2
Other Bus	--	--	29	0.1	29	0.1
Motorized Snow Vehicle	3	0.6	23	0.1	26	0.1
Construction Equipment	1	0.2	24	0.1	25	0.1
Motorhome	--	--	22	0.1	22	0.1
Farm Equipment	--	--	21	0.1	21	0.1
Intercity Bus	--	--	3	0.0	3	0.0
Moped	1	0.2	2	0.0	3	0.0
Other	--	--	3	0.0	3	0.0
Total Number of Vehicles	515	100.0	34159	100.0	34674	100.0

Observations

Passenger cars and pick-up trucks/vans were the vehicles most frequently involved in total casualty collisions. Overall, bicycles represented 1.7% and motorcycles 1.8% of the vehicles involved in casualty collisions. Truck tractors were 1.8% of total vehicles in casualty crashes, but 11.3% of vehicles in fatal crashes.

* Based on those cases where type of vehicle was specified on the collision report form.

Table 5.2**Vehicle Factors Involved in Casualty Collisions*****2003**

Vehicular Factors	Vehicles in Fatal Collisions		Vehicles in Non-Fatal Injury Collisions		Total Vehicles in Casualty Collisions	
	N	%	N	%	N	%
No Apparent Defect	389	97.0	26585	99.3	26974	99.2
Defective Brakes	5	1.2	59	0.2	64	0.2
Tires Failed	2	0.5	38	0.1	40	0.1
Lighting Defect	1	0.2	22	0.1	23	0.1
Improper Load/Shift	--	--	9	0.0	9	0.0
Other	4	1.0	67	0.3	71	0.3
Total Number of Vehicles	401	100.0	26780	100.0	27181	100.0

Observations

Less than 1.0% of vehicles involved in casualty collisions were identified as having a vehicle defect. The most common was defective brakes.

* Based on those cases where a vehicle factor was specified on the collision report form. This information does not indicate whether or not a mechanical inspection of the collision-involved vehicle was conducted.

Table 5.3**Point of Impact on Vehicles Involved in Casualty Collisions*****2003**

Point of Impact	Vehicles in Fatal Collisions		Vehicles in Non-Fatal Injury Collisions		Total Vehicles in Casualty Collisions	
	N	%	N	%	N	%
Centre Front	240	48.2	13205	40.6	13445	40.7
Centre Rear	24	4.8	7909	24.3	7933	24.0
Right Front	21	4.2	2616	8.0	2637	8.0
Left Front	38	7.6	2509	7.7	2547	7.7
Rollover	74	14.9	1729	5.3	1803	5.5
Left Side	37	7.4	1154	3.5	1191	3.6
Right Side	30	6.0	1146	3.5	1176	3.6
Right Rear	6	1.2	911	2.8	917	2.8
Left Rear	8	1.6	885	2.7	893	2.7
Attachment	14	2.8	256	0.8	270	0.8
Undercarriage	3	0.6	126	0.4	129	0.4
Top	3	0.6	66	0.2	69	0.2
Total Number of Vehicles	498	100.0	32512	100.0	33010	100.0

Observations

The most common point of impact in casualty collisions involved the front of the vehicle. 40.7% of the impacts involved the centre front, while 24.0% of the impacts involved the centre rear.

* Based on those cases where point of impact was specified on the collision report form.

Environment

Location

The majority of fatal crashes (68.5%) occurred in rural areas, whereas the majority of injury (79.2%) and property damage (79.8%) crashes occurred in urban areas.

Surface Conditions

The majority (56.3%) of all casualty collisions occurred when surface conditions were dry. Slush, snow or ice was involved in 16.8% of fatal collisions and 24.0% of non-fatal injury collisions.

Table 6.1**Location of Collisions****2003**

Location	Fatal Collisions		Non-Fatal Injury Collisions		Property Damage Collisions		Total Collisions	
	N	%	N	%	N	%	N	%
Urban	101	31.5	14614	79.2	75496	79.8	90211	79.6
Rural	220	68.5	3833	20.8	19093	20.2	23146	20.4
Total Number of Collisions	321	100.0	18447	100.0	94589	100.0	113357	100.0

Observations

Collisions which occurred in rural areas accounted for 68.5% of all fatal crashes. Collisions occurring in urban areas resulted in the highest proportion of non-fatal injury collisions (79.2%) and property damage crashes (79.8%).

Table 6.2**Casualty Collision Occurrence by Surface Condition****2003**

Surface Condition	Fatal Collisions		Non-Fatal Injury Collisions		Total Casualty Collisions	
	N	%	N	%	N	%
Dry	226	70.4	10334	56.0	10560	56.3
Slush/Snow/Ice	54	16.8	4424	24.0	4478	23.9
Wet	23	7.2	1678	9.1	1701	9.1
Loose Surface Material	10	3.1	348	1.9	358	1.9
Muddy	--	--	33	0.2	33	0.2
Other	4	1.2	101	0.5	105	0.6
Unspecified	4	1.2	1529	8.3	1533	8.2
Total Number of Collisions	321	100.0	18447	100.0	18768	100.0

Observations

The majority (56.3%) of casualty collisions occurred when surface conditions were dry. Slush, snow or ice was involved in 16.8% of fatal collisions and 24.0% of non-fatal injury collisions.

Special Types of Vehicles

Motorcycles

- Based on motorcycle registrations, the involvement rate of motorcycles in fatal collisions has decreased but in injury collisions has increased in 2003.
- The majority of motorcycle casualty collisions involved male drivers. Motorcycle drivers under the age of 25 had the highest involvement rate per 1000 licensed drivers. In particular, 16-17 year old motorcycle drivers had an involvement rate per 1000 licensed drivers of 71.4, a rate almost four times greater than that of the 20-24 year old motorcycle drivers.
- Compared to drivers involved in total casualty collisions, motorcycle drivers were more likely to run off the road or pass improperly. However, motorcycle drivers were less likely to follow too closely, to make an unsafe left turn or commit a stop sign violation.
- Compared to drivers involved in all types of vehicle casualty collisions, motorcycle drivers were more likely to have consumed alcohol before the crash.
- Vehicular factors were identified for 1.3% of motorcycles involved in casualty collisions compared to 0.8% for all types of vehicles involved in casualty collisions.
- The majority of casualty collisions involving motorcycles occurred on dry roads.

Table 7.1

Motorcycles Involved in Casualty Collisions**1999-2003**

Number of Motorcycles	2003	2002	2001	2000	1999
Fatal	13	25	21	14	11
Non-Fatal Injury	616	558	629	476	447
Total Number of Motorcycles Involved in Casualty Collisions	629	583	650	490	458

Casualties*

Number Killed	13	24	21	14	10
Number Injured	666	620	701	540	509
Total Casualties in Collisions Involving Motorcycles	679	644	722	554	519

Number of Motorcycles Involved in Casualty Collisions Per 10,000 Registered Motorcycles**

Fatal Collisions	2.4	4.8	4.2	3.2	2.8
Non-Fatal Injury Collisions	111.5	106.2	126.9	109.3	112.9

Observations

Based on motorcycle registrations in 2003, the involvement rate of motorcycles in fatal collisions has decreased but in injury collisions has increased.

*This refers to the total number of people killed and injured in collisions in which a motorcycle was involved. It does not refer to the number of motorcyclists killed and injured.

**Source: Based on vehicle registration statistics, Government Services – Registries, December 31, 2003.

Figure 6

Number of Motorcycles Involved in Fatal Collisions
Alberta 1999 - 2003




Table 7.2

Age and Sex of Motorcycle Drivers Involved in Casualty Collisions

2003

Age of Motorcycle Driver	Male		Female		Total*		Rate Per 1,000 Licensed Motorcycle Drivers**
	N	%	N	%	N	%	
Under 16	7	1.1	2	0.3	9	1.4	
16-17	20	3.2	1	0.2	21	3.4	71.4
18-19	51	8.2	2	0.3	53	8.5	47.2
20-24	150	24.0	4	0.6	154	24.6	18.8
25-34	115	18.4	9	1.4	124	19.8	3.8
35-44	84	13.4	17	2.7	101	16.2	1.7
45-54	108	17.3	10	1.6	119	19.0	1.8
55-64	23	3.7	2	0.3	25	4.0	1.0
65 and over	11	1.8	--	--	11	1.8	1.1
Unspecified	--	--	--	--	8	1.3	
Total Number of Motorcycle Drivers	569	91.1	47	7.4	625	100.0	

Observations

The majority of motorcycle casualty collisions involved male drivers. Based on involvement per 1,000 licensed operators, motorcycle drivers under the age of 25 were most likely to be involved in collisions. In particular, 16-17 year old motorcycle drivers had the highest involvement rate per 1,000 licensed motorcyclists. These age and sex comparisons are limited due to the lack of driving exposure data. That is, in order to make valid age comparisons, it is important to take into account the number of kilometers driven annually by each age and sex group of motorcycle operators.

Note: In Alberta, Class 6 (motorcycle) licenses are not issued to operators under 16 years of age.

*Total includes drivers whose sex was not specified on the collision report form.

**Source: Government Services – Registries. Operator Statistics, December 31, 2003.

Table 7.3

Improper Actions of Motorcycle Drivers Involved in Casualty Collisions***2003**

Improper Actions of Motorcycle Driver	Driver Actions in Total Casualty Collisions (All Vehicle Types)		
	N	%	%
Ran Off Road	104	40.0	15.4
Followed Too Closely	35	13.5	32.3
Left of Center	12	4.6	3.0
Improper Passing	12	4.6	1.0
Disobey Traffic Signal	11	4.2	7.1
Improper Turn	10	3.8	2.3
Left Turn Across Path	8	3.1	11.0
Improper Lane Change	7	2.7	2.7
Yield Sign Violation	5	1.9	2.0
Failed to Yield Right of Way to Pedestrian	4	1.5	2.9
Stop Sign Violation	2	0.8	8.1
Failed to Yield Right of Way - Uncontrolled Intersection	2	0.8	2.0
Other	48	18.5	7.7
Total Number of Motorcycle Drivers	260	100.0	

Observations

Compared to drivers involved in total casualty collisions, motorcycle drivers were more likely to run off the road or pass improperly. However, motorcycle drivers were less likely to follow too closely, make an unsafe left turn or commit a stop sign violation.

*Based on those cases where driver actions were specified on the collision report form.

Note: There was a total of 512 motorcycle drivers involved in casualty collisions for which a driver action was specified on the collision report form. 252 were indicated as driving properly at the time of the collision.

Table 7.4**Condition of Motorcycle Drivers* Involved in Casualty Collisions****2003**

Condition of Motorcycle Driver	N	Driver Condition in Total Casualty Collisions (All Vehicle Types)	
		%	%
Normal	491	91.9	93.4
Had Been Drinking	31	5.8	2.4
Alcohol Impaired	11	2.1	2.5
Total Alcohol Involvement	42	7.9	4.9
Other	1	0.2	0.5
Total Number of Motorcycle Drivers	534	100.0	

Observations

The motorcycle driver's condition was a contributory factor for 8.1% of the involved motorcycle drivers. Compared to drivers involved in total casualty collisions, motorcycle drivers were more likely to have consumed alcohol prior to the crash.

*Based on those cases where driver condition was specified on the collision report form.

Table 7.5

Motorcycle Vehicular Factors* in Casualty Collisions**2003**

Vehicular Factors	N	%	Vehicular Factors in Total Casualty Collisions (All Vehicle Types)	%
No Apparent Defect	524	98.7		99.2
Tires Failed	1	0.2		0.1
Lighting Defect	2	0.4		0.1
Other	4	0.8		0.3
Total Number of Motorcycles	531	100.0		

Observations

Vehicular factors were identified for 1.3% of the motorcycles involved in casualty collisions, compared to 0.8% for all types of vehicles involved in casualty collisions.

*Based on those cases where a vehicular factor was specified on the collision report form. This does not indicate that a mechanical inspection of the collision-involved motorcycle was conducted.

Table 7.6**Casualty Collisions Involving Motorcycles:****Month of Occurrence****2003**

Month	N	%
January	2	0.3
February	--	--
March	11	1.8
April	37	6.1
May	81	13.3
June	96	15.8
July	123	20.2
August	121	19.9
September	79	13.0
October	56	9.2
November	--	--
December	2	0.3
Total Number of Collisions	608	100.0

Observations

The month of July recorded the highest proportion of casualty crashes involving motorcycles.

Table 7.7**Casualty Collisions Involving Motorcycles:****Road Surface Condition****2003**

Road Surface Condition	N	%
Dry	529	87.0
Loose Surface Material	32	5.3
Wet	18	3.0
Muddy	1	0.2
Other	2	0.3
Unspecified	26	4.3
Total Number of Collisions	608	100.0

Observations

The majority of casualty collisions involving motorcycles occurred on dry roads. Loose material on the road surface was involved in 5.3% of motorcycle casualty crashes. Wet roads were the scene of 3.0% of motorcycle casualty collisions.

Special Types of Vehicles

Truck Tractors

- In 2003, there were 76 persons killed and 782 injured in collisions involving truck tractors. This represents an increase in casualties from 2002.
- Compared to drivers of other vehicles, truck tractor drivers were more likely to run off the road, make an improper lane change, or fail to yield the right of way at an uncontrolled intersection. However, operators of truck tractors were less likely than other vehicle operators to follow too closely, make an unsafe left turn or disobey a traffic signal.
- Truck tractor drivers were less likely to consume alcohol before the crash than were drivers in total casualty collisions.
- Vehicular factors were more likely to be present in truck tractor casualty collisions than in total casualty collisions.
- The occurrence of casualty collisions involving truck tractors was highest in the month of January.

Table 7.8

Truck Tractors Involved in Casualty Collisions**1999-2003**

Number of Truck Tractors	2003	2002	2001	2000	1999
Fatal	58	43	43	60	41
Non-Fatal Injury	566	505	507	512	445
Total Number of Truck Tractors Involved in Casualty Collisions	624	548	550	572	486
Casualties*					
Number Killed	76	49	52	76	48
Number Injured	782	744	686	740	606
Total Casualties in Collisions Involving Truck Tractors	858	793	738	816	654

Observations

In 2003, there were 76 persons killed and 782 injured in collisions involving truck tractors. This represents an increase in casualties from 2002. The total number of truck tractors involved in casualty crashes increased in 2003 standing at 624, the five-year high.

*This refers to the total number of people killed and injured in collisions in which a truck tractor was involved. It does not refer to the number of truck tractor drivers killed and injured.

Table 7.9

Improper Actions of Truck Tractor Drivers Involved in Casualty Collisions***2003**

Improper Actions of Truck Tractor Driver	Driver Actions in Total Casualty Collisions (All Vehicle Types)		
	N	%	%
Ran Off Road	75	34.4	15.4
Followed Too Closely	46	21.1	32.3
Stop Sign Violation	19	8.7	8.1
Disobey Traffic Signal	12	5.5	7.1
Improper Lane Change	10	4.6	2.7
Left Turn Across Path	9	4.1	11.0
Left of Center	7	3.2	3.0
Failed to Yield Right of Way - Uncontrolled Intersection	7	3.2	2.0
Improper Passing	5	2.3	1.0
Backed Unsafely	4	1.8	2.4
Improper Turn	4	1.8	2.3
Yield Sign Violation	3	1.4	2.0
Other	17	7.8	7.7
Total Number of Drivers	218	100.0	

Observations

Compared to drivers of other vehicles, truck tractor drivers were more likely to run off the road, make an improper lane change, or fail to yield the right of way at an uncontrolled intersection. However, operators of truck tractors were less likely than other vehicle operators to follow too closely, make an unsafe left turn or disobey a traffic signal.

*Based on those cases where driver actions were specified on the collision report form.

Note: There was a total of 521 truck-tractor drivers involved in casualty collisions for which a driver action was specified on the collision report form. 303 were indicated as driving properly at the time of the collision.

Table 7.10

Condition* of Truck Tractor Drivers Involved in Casualty Collisions**2003**

Driver Condition	N	%	Driver Condition in Total Casualty Collisions (All Vehicle Types)	%
Normal	506	95.1		93.4
Had Been Drinking	3	0.6		2.4
Alcohol Impaired	2	0.4		2.5
Total Alcohol Involvement	5	1.0		4.9
Fatigued/Asleep	19	3.6		1.0
Impaired by Drugs	1	0.2		0.2
Other	1	0.2		0.5
Total Number of Drivers	532	100.0		

Observations

The condition of the truck tractor driver was a contributory factor for 4.9% of the drivers involved. Truck tractor drivers were less likely to consume alcohol before the crash than were drivers involved in total casualty collisions (1.0% compared to 4.9%). However, they were more likely to have been fatigued or asleep at the time of the crash.

*Based on those cases where driver condition was specified on the collision report form.

Table 7.11**Vehicular Factors* of Truck Tractors Involved in Casualty Collisions****2003**

Vehicular Factors	N	%	Vehicular Factors in Total Casualty Collisions (All Vehicle Types)	%
No Apparent Defect	522	98.3		99.2
Improper Load/Shift	3	0.6		0.0
Defective Brakes	3	0.6		0.2
Tires Failed	1	0.2		0.1
Other	2	0.4		0.3
Total Number of Truck Tractors	531	100.0		

Observations

Vehicular factors were identified for 1.7% of truck tractors in casualty collisions. Vehicular factors were more likely to be present in truck tractor collisions than in total casualty collisions.

*Based on those cases where a vehicular factor was specified on the collision report form. This does not indicate whether or not a mechanical inspection of the collision-involved truck tractor was conducted.

Table 7.12

Casualty Collisions Involving Truck Tractors:**Month of Occurrence****2003**

Month	N	%
January	70	11.6
February	46	7.7
March	55	9.2
April	35	5.8
May	31	5.2
June	34	5.7
July	53	8.8
August	60	10.0
September	55	9.2
October	58	9.7
November	64	10.6
December	40	6.7
Total Number of Collisions	601	100.0

Observations

The occurrence of casualty collisions involving truck tractors was highest in the month of January. The lowest number of truck tractor casualty collisions occurred during May.

Special Types of Vehicles

Trains

- In 2003, 3 people were killed and 35 people were injured in crashes in which a train was involved. The number of casualties involving trains has decreased from 2002.
- The largest number of casualty collisions involving trains occurred in the months of January and November.
- A large percentage of drivers involved in collisions with a train disobeyed a traffic control device.

Table 7.13**Trains Involved in Casualty Collisions****1999-2003**

Number of Trains	2003	2002	2001	2000	1999
Fatal	3	5	6	3	3
Non-Fatal Injury	22	32	25	20	19
Total Number of Trains Involved in Casualty Collisions	25	37	31	23	22
Casualties*					
Number Killed	3	6	6	4	4
Number Injured	35	38	30	34	27
Total Casualties in Collisions Involving Trains	38	44	36	38	31

Observations

The number of trains involved in casualty collisions decreased from 2002. The number of casualties resulting from these collisions has also decreased.

*This refers to the total number of people killed and injured in collisions involving a train.

Table 7.14

Casualty Collisions Involving Trains:**Month of Occurrence****2003**

Month	Fatal Collisions		Non-Fatal Injury Collisions		Total Casualty Collisions	
	N	%	N	%	N	%
January	--	--	5	22.7	5	20.0
February	--	--	2	9.1	2	8.0
March	1	33.3	--	--	1	4.0
April	--	--	2	9.1	2	8.0
May	--	--	3	13.6	3	12.0
June	--	--	--	--	--	--
July	--	--	2	9.1	2	8.0
August	--	--	3	13.6	3	12.0
September	--	--	--	--	--	--
October	--	--	1	4.5	1	4.0
November	1	33.3	4	18.2	5	20.0
December	1	33.3	--	--	1	4
Total Number of Collisions	3	100.0	22	100.0	25	100.0

Observations

The largest number of casualty collisions involving trains occurred in the months of January and November.

Table 7.15**Actions* of Drivers Involved in Casualty Collisions With Trains****2003**

Driver Actions	Drivers in Fatal Collisions		Drivers in Non-Fatal Injury Collisions		Total Drivers in Casualty Collisions	
	N	%	N	%	N	%
Driving Properly	--	--	4	18.2	4	16.0
Ran Off Road	--	--	1	4.5	1	4.0
Disobey Traffic Signal	2	66.7	9	40.9	11	44.0
Failed to Yield Right of Way - Uncontrolled Intersection	1	33.3	3	13.6	4	16.0
Stop Sign Violation	--	--	1	4.5	1	4.0
Other	--	--	4	18.2	4	16.0
Total Number of Drivers	3	100.0	22	100.0	25	100.0

Observations

A large percentage of drivers involved in collisions with a train disobeyed a traffic control device.

*Based on those cases where driver actions were specified on the collision report form.

Pedestrians

- Pedestrian casualty collisions were more likely to occur in January and September. February experienced the least number of pedestrian crashes.
- Pedestrian casualty collisions were most likely to occur on Wednesday and least likely to occur on Sunday.
- Pedestrian casualty collisions were most likely to occur during the evening rush-hour period (3:00-6:59 p.m.).
- 36.6% of the drivers in collisions involving a pedestrian were recorded as failing to yield the right of way to the pedestrian.
- The casualty rate per population was highest for pedestrians between the ages of 15 and 19.
- Of pedestrians involved in injury collisions, 14.8% had consumed alcohol before the collision, compared to 44.8% involved in fatal collisions.
- Of those pedestrians who had consumed alcohol prior to the collision, the highest rate of involvement per 10,000 population was for pedestrians 20-24 years of age.

Table 8.1

Casualty Collisions Involving Pedestrians:**Month of Occurrence****2003**

Month of Collision	N	%
January	111	9.6
February	80	6.9
March	95	8.2
April	86	7.4
May	91	7.8
June	105	9.1
July	93	8.0
August	91	7.8
September	111	9.6
October	102	8.8
November	88	7.6
December	107	9.2
Total Number of Collisions	1160	100.0

Observations

Pedestrian casualty collisions were more likely to occur in January and September. February experienced the least number of pedestrian crashes.

Table 8.2**Casualty Collisions Involving Pedestrians:****Day of Week****2003**

Day of Week	N	%
Monday	161	13.9
Tuesday	182	15.7
Wednesday	197	17.0
Thursday	185	15.9
Friday	183	15.8
Saturday	148	12.8
Sunday	104	9.0
Total Number of Collisions	1160	100.0

Observations

Pedestrian casualty collisions were most likely to occur on Wednesday and least likely to occur on Sunday.

Table 8.3**Casualty Collisions Involving Pedestrians:****Time Period****2003**

Time Period	N	%
11:00 p.m. - 2:59 a.m.	115	9.9
3:00 a.m. - 6:59 a.m.	37	3.2
7:00 a.m. - 10:59 a.m.	171	14.7
11:00 a.m. - 2:59 p.m.	261	22.5
3:00 p.m. - 6:59 p.m.	374	32.2
7:00 p.m. - 10:59 p.m.	195	16.8
Unspecified	7	0.6
Total Number of Collisions	1160	100.0

Observations

Pedestrian casualty collisions were most likely to occur during the evening rush-hour period from 3:00 p.m. to 6:59 p.m. These collisions were least likely to occur during the early morning hours (3:00 a.m. to 6:59 a.m.).

Table 8.4**Casualty Collisions Involving Pedestrians:****Location****2003**

Location	N	%
Urban	1112	95.9
Rural	48	4.1
Total Number of Collisions	1160	100.0

Observations

The majority of pedestrian casualty collisions (95.9%) occurred in urban areas. Only 4.1% occurred in rural areas.

Table 8.5**Actions* of Drivers Involved in Casualty Collisions with Pedestrians****2003**

Driver Actions	N	%
Driving Properly	389	40.9
Failed to Yield Right of Way To Pedestrian	348	36.6
Backed Unsafely	76	8.0
Ran Off Road	32	3.4
Stop Sign Violation	13	1.4
Improper Turn	12	1.3
Followed Too Closely	11	1.2
Disobey Traffic Signal	8	0.8
Failed to Yield Right of Way - Uncontrolled Intersection	8	0.8
Left Turn Across Path	6	0.6
Improper Passing	3	0.3
Left of Centre	2	0.2
Improper Lane Change	2	0.2
Other	42	4.4
Total Number of Drivers	952	100.0

Observations

40.9% of the drivers involved in pedestrian crashes were recorded as driving properly. However, 36.6% of the drivers involved in pedestrian casualty collisions failed to yield the right of way to the pedestrian.

*Based on those cases where driver actions were specified on the collision report form.

Table 8.6

Age of Pedestrian Casualties

2003

Age in Years	Pedestrians Killed	Pedestrians Injured	Total Pedestrian Casualties	Pedestrian Casualty Rate Per 10,000 Population*	
	N	N	N	%	
Under 5	1	31	32	2.6	1.7
5 - 9	--	51	51	4.2	2.5
10 - 14	--	133	133	11.0	5.9
15 - 19	4	168	172	14.2	7.4
20 - 24	6	137	143	11.8	5.9
25 - 29	4	79	83	6.9	3.5
30 - 34	1	71	72	6.0	3.1
35 - 44	10	184	194	16.0	3.7
45 - 54	4	139	143	11.8	3.1
55 - 64	3	72	75	6.2	2.7
65 and over	4	91	95	7.9	2.9
Unspecified	--	16	16	1.3	
Total Number of Pedestrian Casualties	37	1172	1209	100.0	

Observations

The casualty rate per population was highest for pedestrians between the ages of 15 and 19. The lowest casualty rate was recorded for persons under 5 years of age.

*Source: Based on estimates of the Alberta population by age groups and sex, July 1, 2003, Statistics Canada

Figure 7




Table 8.7**Condition of Pedestrians Involved in Casualty Collisions*****2003**

Condition of Pedestrian	Pedestrians in Fatal Collisions		Pedestrians in Non-Fatal Injury Collisions		Total Pedestrians in Casualty Collisions	
	N	%	N	%	N	%
Normal	16	55.2	777	84.3	793	83.4
Had Been Drinking	11	37.9	75	8.1	86	9.0
Alcohol Impaired	2	6.9	61	6.6	63	6.6
Total Alcohol Involvement	13	44.8	136	14.8	149	15.7
Impaired by Drugs	--	--	1	0.1	1	0.1
Other	--	--	8	0.9	8	0.8
Total Number of Pedestrians	29	100.0	922	100.0	951	100.0

Observations

Of pedestrians involved in injury collisions, 14.8% had consumed alcohol before the collision, compared to 44.8% involved in fatal collisions. As the severity of the collision increased, the involvement of alcohol increased dramatically.

*Based only on those cases where pedestrian condition was specified on the collision report form.

Table 8.8

Age of Drinking Pedestrians Involved in Casualty Collisions*

2003

Age in Years	N	Rate per 10,000 Population**	
		%	
Under 10	--	--	--
10 - 14	--	--	--
15 - 19	22	14.8	0.9
20 - 24	33	22.1	1.4
25 - 29	19	12.8	0.8
30 - 34	13	8.7	0.6
35 - 44	32	21.5	0.6
45 - 54	18	12.1	0.4
55 - 64	6	4.0	0.2
65 and over	2	1.3	0.1
Unspecified	4	2.7	
Total Number of Pedestrian Casualties	149	100.0	

Observations

Of those pedestrians who had consumed alcohol prior to the collision, the highest rate of involvement per 10,000 population was for pedestrians 20 – 24 years of age.

* Based on those cases where pedestrian condition was specified on the collision report form.

** Source: Based on estimates of the Alberta population by age groups and sex, July 1, 2003, Statistics Canada.

Bicyclists

- Casualty collisions involving bicycles were more likely to occur in the month of June.
- Weekdays experienced the most casualty collisions involving bicycles. As well, the largest number of these crashes (37.7%) occurred during the evening rush-hour period.
- Young bicyclists, 10-14 years of age, were the group most frequently involved in bicycle casualty crashes.
- Compared to operators of all vehicles in casualty collisions, bicyclists were more likely to fail to yield right-of-way at an uncontrolled intersection, disobey a traffic signal or be left of the centre line.
- 2.6% of bicyclists involved in casualty collisions had consumed alcohol before the crash.

Table 9.1**Casualty Collisions Involving Bicycles:****Month of Occurrence****2003**

Month of Collision	N	%
January	11	1.9
February	6	1.0
March	15	2.5
April	39	6.6
May	81	13.7
June	102	17.3
July	92	15.6
August	84	14.2
September	85	14.4
October	68	11.5
November	2	0.3
December	6	1.0
Total Number of Collisions	591	100.0

Observations

The majority of casualty crashes involving bicycles occurred during the month of June.

Table 9.2**Casualty Collisions Involving Bicycles:****Day of Week****2003**

Day of Week	N	%
Monday	104	17.6
Tuesday	93	15.7
Wednesday	85	14.4
Thursday	84	14.2
Friday	97	16.4
Saturday	64	10.8
Sunday	64	10.8
Total Number of Collisions	591	100.0

Observations

Casualty collisions involving bicycles were most likely to occur on weekdays.

Table 9.3**Casualty Collisions Involving Bicycles:****Time Period****2003**

Time Period	N	%
11:00 p.m. - 2:59 a.m.	19	3.2
3:00 a.m. - 6:59 a.m.	14	2.4
7:00 a.m. - 10:59 a.m.	88	14.9
11:00 a.m. - 2:59 p.m.	135	22.8
3:00 p.m. - 6:59 p.m.	223	37.7
7:00 p.m. - 10:59 p.m.	102	17.3
Unspecified	10	1.7
Total Number of Collisions	591	100.0

Observations

The largest proportion of casualty crashes (37.7%) involving bicycles occurred during the evening rush-hour period of 3:00 p.m. – 6:59 p.m.

Table 9.4

Age and Sex of Bicyclists Involved in Casualty Collisions**2003**

Age in Years	Male		Female		Total*	
	N	%	N	%	N	%
Under 5	4	0.7	--	--	4	0.7
5 - 9	41	6.9	17	2.9	58	9.8
10 - 14	85	14.3	27	4.6	113	19.1
15 - 19	68	11.5	12	2.0	80	13.5
20 - 24	53	8.9	22	3.7	75	12.6
25 - 29	32	5.4	14	2.4	46	7.8
30 - 34	35	5.9	10	1.7	45	7.6
35 - 44	67	11.3	22	3.7	90	15.2
45 - 54	29	4.9	7	1.2	36	6.1
55 - 64	10	1.7	4	0.7	14	2.4
65 and over	7	1.2	2	0.3	9	1.5
Unspecified	14	2.4	2	0.3	23	3.9
Total Number of Bicyclists	445	75.0	139	24.4	593	100.0

Observations

The majority of bicycle casualty collisions involved male bicyclists. The 10-14 year old age group was most frequently involved in these collisions.

*Total includes bicyclists whose sex was not specified on the collision report form.

Table 9.5

Improper Actions of Bicyclists Involved in Casualty Collisions			
2003			
Improper Actions of Bicyclists	Driver Actions in Total Casualty Collisions (All Vehicle Types)		
	N	%	%
Disobey Traffic Signal	42	14.6	7.1
Failed to Yield Right of Way - Uncontrolled Intersection	32	11.1	2.0
Stop Sign Violation	23	8.0	8.1
Left of Centre	18	6.3	3.0
Left Turn Across Path	13	4.5	11.0
Ran Off Road	10	3.5	15.4
Yield Sign Violation	6	2.1	2.0
Improper Passing	5	1.7	1.0
Improper Lane Change	5	1.7	2.7
Improper Turn	4	1.4	2.3
Followed Too Closely	3	1.0	32.3
Failed to Yield Right of Way to Pedestrian	1	0.3	2.9
Other	126	43.8	7.7
Total Number of Bicyclists	288	100.0	

Observations

Compared to operators of all vehicles in casualty collisions, bicyclists were more likely to fail to yield right-of-way at an uncontrolled intersection, disobey a traffic signal or be left of the centre line.

*Based on those cases where driver actions were specified on the collision report form.

Note: There was a total of 423 bicyclists involved in casualty collisions for which a driver action was specified on the collision report form. 135 were indicated as driving properly at the time of the collision.

Table 9.6**Condition of Bicyclists Involved in Casualty Collisions*****2003**

Condition of Bicyclist	N	%
Normal	476	95.8
Had Been Drinking	7	1.4
Alcohol Impaired	6	1.2
Total Alcohol Involvement	13	2.6
Impaired by Drugs	1	0.2
Other	7	1.4
Total Number of Bicyclists	497	100.0

Observations

2.6% of bicyclists involved in casualty collisions had consumed alcohol before the crash.

*Based only on those cases where bicyclist condition was specified on the collision report form.

Traffic Safety Issues

Alcohol Involvement

- A total of 4.6% of drivers involved in injury crashes were judged to have consumed alcohol prior to the crash, compared to 22.3% of drivers involved in fatal collisions. As the severity of the collision increased, the involvement of alcohol dramatically increased.
- In terms of involvement per 1,000 licensed drivers, males between 18 and 24 years of age were most likely to have been drinking before the crash. There were over five times as many male drivers as female drivers who had consumed alcohol prior to the collision.
- In 2003, alcohol related casualty crashes were most likely to have occurred in August, on Saturday, and between 11:00 p.m. and 2:59 a.m.
- Figure 8 provides a graphic representation of the involvement of drinking drivers in casualty collisions over the past five years, 1999-2003.

Table 10.1**Condition of Drivers in Casualty Collisions *****2003**

Condition of Driver	Drivers in Fatal Collisions		Drivers in Non-Fatal Injury Collisions		Total Drivers in Casualty Collisions	
	N	%	N	%	N	%
Normal	312	73.9	24859	93.7	25171	93.4
Had Been Drinking	53	12.6	589	2.2	642	2.4
Alcohol Impaired	41	9.7	640	2.4	681	2.5
Total Alcohol Involvement	94	22.3	1229	4.6	1323	4.9
Impaired by Drugs	2	0.5	51	0.2	53	0.2
Fatigued/Asleep	11	2.6	251	0.9	262	1.0
Other	3	0.7	144	0.5	147	0.5
Total Number of Drivers	422	100.0	26534	100.0	26956	100.0

Observations

Of drivers involved in injury collisions, 4.6% had consumed alcohol before the crash, compared to 22.3% in fatal collisions. As the severity of the collision increased, the involvement of alcohol dramatically increased. Overall, 4.9% of drivers involved in casualty collisions were judged to have consumed alcohol before the crash.

*Based on those cases where driver condition was specified on the collision report form. These numbers do not include bicyclists (see Table 9.6, page 65).

Figure 8

Involvement of Drinking Drivers in Casualty Collisions
Alberta 1999 - 2003




Figure 9




Table 10.2**Age and Sex of Drinking Drivers in Casualty Collisions*****2003**

Age in Years	Male		Rate Per 1,000** Licensed Drivers	Female		Rate Per 1,000** Licensed Drivers	Total*		Rate Per 1,000** Licensed Drivers
	N	%		N	%		N	%	
Under 16	7	0.5	0.5	3	0.2	0.3	10	0.8	0.4
16 - 17	35	2.6	1.1	7	0.5	0.2	42	3.2	0.7
18 - 19	92	7.0	2.2	24	1.8	0.6	116	8.8	1.5
20 - 21	101	7.6	2.2	12	0.9	0.3	113	8.5	1.3
22 - 24	158	11.9	2.2	22	1.7	0.3	180	13.6	1.3
25 - 29	170	12.8	1.4	19	1.4	0.2	189	14.3	0.8
30 - 34	130	9.8	1.0	20	1.5	0.2	150	11.3	0.6
35 - 44	205	15.5	0.8	63	4.8	0.3	268	20.3	0.5
45 - 54	135	10.2	0.6	29	2.2	0.1	164	12.4	0.4
55 - 64	46	3.5	0.3	7	0.5	0.1	53	4.0	0.2
65 and over	24	1.8	0.2	4	0.3	0.0	28	2.1	0.1
Unspecified	3	0.2		1	0.1		10	0.8	
Total Drivers	1106	83.6		211	15.9		1323	100.0	

Observations

Of those collision-involved drivers who had consumed alcohol, there were over five times as many male drivers as female drivers. In terms of involvement per 1,000 licensed drivers, males 18-24 years of age were more likely to have consumed alcohol prior to a casualty collision than any other age group.

Drinking drivers include those indicated on the collision report form as having been drinking prior to the crash and those who were alcohol-impaired at the time of the crash. Whether or not the driver was actually charged is not taken into consideration by the collision report form.

* Includes only drivers whose age and/or sex was specified on the collision report form. Total includes drinking drivers whose sex was not specified on the collision report form.

** Source: Government – Registries. Operator Statistics, December 31, 2003.

Figure 10

Drinking Drivers Involved in Casualty Collisions
Alberta 2003




Table 10.3**Alcohol-Involved Casualty Collisions:****Month of Occurrence****2003**

Month	Fatal Collisions		Non-Fatal Injury Collisions		Total Casualty Collisions	
	N	%	N	%	N	%
January	8	9.0	88	7.2	96	7.4
February	3	3.4	65	5.4	68	5.2
March	6	6.7	116	9.6	122	9.4
April	10	11.2	99	8.2	109	8.4
May	10	11.2	92	7.6	102	7.8
June	3	3.4	95	7.8	98	7.5
July	6	6.7	124	10.2	130	10.0
August	10	11.2	133	11.0	143	11.0
September	6	6.7	117	9.6	123	9.4
October	13	14.6	116	9.6	129	9.9
November	6	6.7	95	7.8	101	7.8
December	8	9.0	74	6.1	82	6.3
Total Number of Collisions	89	100.0	1214	100.0	1303	100.0

Observations

The month of August accounted for the largest proportion of alcohol-involved casualty collisions. The month of February accounted for the smallest proportion of alcohol-involved casualty collisions.

Table 10.4**Alcohol-Involved Casualty Collisions:****Day of Week****2003**

Day of Week	Fatal Collisions		Non-Fatal Injury Collisions		Total Casualty Collisions	
	N	%	N	%	N	%
Monday	5	5.6	106	8.7	111	8.5
Tuesday	6	6.7	106	8.7	112	8.6
Wednesday	13	14.6	142	11.7	155	11.9
Thursday	17	19.1	144	11.9	161	12.4
Friday	15	16.9	194	16.0	209	16.0
Saturday	17	19.1	290	23.9	307	23.6
Sunday	16	18.0	232	19.1	248	19.0
Unspecified						
Total Number of Collisions	89	100.0	1214	100.0	1303	100.0

Observations

The highest number of alcohol-involved fatal collisions occurred on Thursdays and Saturdays (19.1%) The highest number of non-fatal injury collisions occurred on Saturday (23.9%) The smallest number of alcohol-involved casualty collisions occurred on Monday.


Table 10.5**Alcohol-Involved Casualty Collisions:****Time Period****2003**

Time Period	Fatal Collisions		Non-Fatal Injury Collisions		Total Casualty Collisions	
	N	%	N	%	N	%
11:00 p.m. - 2:59 a.m.	21	23.6	392	32.3	413	31.7
3:00 a.m. - 6:59 a.m.	12	13.5	139	11.4	151	11.6
7:00 a.m. - 10:59 a.m.	8	9.0	45	3.7	53	4.1
11:00 a.m. - 2:59 p.m.	7	7.9	71	5.8	78	6.0
3:00 p.m. - 6:59 p.m.	7	7.9	194	16.0	201	15.4
7:00 p.m. - 10:59 p.m.	31	34.8	342	28.2	373	28.6
Unspecified	3	3.4	31	2.6	34	2.6
Total Number of Collisions	89	100.0	1214	100.0	1303	100.0

Observations

The late night/early morning time period (11:00 p.m. – 2:59 a.m.) was most likely to record alcohol-involved casualty collisions (31.7%). The morning hours (7:00 a.m. – 10:59 a.m.) were least likely to record alcohol-involved casualty crashes (4.1%).

Figure 11



Traffic Safety Issues

Restraint Use

- Collision-involved restraint users had a much lower injury rate (12.7%) than those not using restraints (39.5%).
- Non-restraint users were more than three times more likely than restraint users to be injured.

Table 10.6

**Restraint Use of Vehicle Occupants
and Injury Severity* (Use versus Non-Use)**

2003

Injury Severity of Occupants	Percentage of Occupants Using Restraints %	Percentage of Occupants Not Using Restraints %
Fatal Injury	0.1	2.6
Major Injury	1.0	12.0
Minor Injury	11.6	24.9
Total Occupants Sustaining Injuries	12.7	39.5
No Apparent Injury	87.3	60.5
Total Occupants	100.0	100.0

Observations

Collision involved restraint users had a much lower injury rate (12.7%) than those not using restraints (39.5%). Non-restraint users were more than three times as likely as restraint users to be injured.

Injury Severity

Fatal – A fatal injury is the death of a person that occurs as a result of a motor vehicle collision within 30 days of the collision.

Major – Persons with injuries or complaint of pain that went to the hospital and were subsequently admitted even if for observation only.

Minor – Persons with injuries or complaint of pain that went to the hospital, were treated in emergency (or refused treatment) and SENT HOME without ever being admitted to the hospital. (Also includes persons who indicated they intend to seek medical attention.)

*Based on those cases where occupant restraint use and injury severity were specified on the collision report form.

Library and Archives Canada
Bibliothèque et Archives Canada



3 3286 53101555 6